




Grecian Sliding Window




www.inso.co.za


2 Panel Window



3 Panel Window



4 Panel Window



Deemed- to-Satisfy Table based on SANS 10160 for the Wind load & Product Performance Class Designation :

TERRAIN CATEGORY AS PER SANS 10160	HEIGHT FROM GROUND TO HEAD OF PRODUCTS IN METERS			
	5	10	15	20
Category 1 - Open Sea, lake shores & flat treeless plains	A2	A3	A3	A3
	1500 Pa	2000 Pa	2000 Pa	2000 Pa
Category 2 - Airfields, open parklands or farmlands & undeveloped outskirts of towns & suburbs	A2	A2	A3	A3
	1500 Pa	1500 Pa	2000 Pa	2000 Pa
Category 3 - Built-up areas	A0	A1	A1	A2
	600 Pa	1000 Pa	1000 Pa	1500 Pa
Category 4 - City Centres	A0	A1	A1	A2
	600 Pa	1000 Pa	1000 Pa	1500 Pa

Caution must be taken when using A0 and A1 Products in commercial environments as the former are less robust than the latter. Also opening sizes for vents are usually larger for commercial applications than is the case in residential windows and therefore require A2, A3 or A4 products .

Features:

- Affordable and reliable aluminium design.
- Corrosion resistant.
- Available in a range of durable and popular architectural colours and finishes.
- Low Maintenance.
- Complies with AAAMSA A2 design standards.
- Excellent sealing against water and air infiltration.
- Hollow sump sill for improved water drainage.
- Hollow interlockers for improved wind load performance.
- Secure centre locking mechanism.
- New roller design for smooth and light sliding action.
- Quick and simple to manufacture and install.

RANDBURG

93 Elsecar Street, Kya Sand Randburg, Gauteng

Tel: 011 708 4443 / 087 943 8112

E-mail: inso@insogp.co.za

CENTURION

Unit 13, Flintstone Park, Gateway Industrial, 42 Sarel Baard Cres, Centurion

Tel: 012 655 0762

E-mail: centurion@insogp.co.za

EAST RAND

Unit 8 Hoffmann Park, 43 Harriet Avenue, Driehoek, Germiston

Tel: 082 895 1009 / FAX: 086 655 6719

E-mail: eastrand@insogp.co.za



www.inso.co.za

